

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                          |                          |                          |
|---------------------------|--------------------------|--------------------------|--------------------------|
| <b>Date Reported:</b>     | 3/18/2026                | <b>Sample ID:</b>        | 20260311-CAPI-005        |
| <b>Client Name:</b>       |                          | <b>Sample Name:</b>      |                          |
| <b>Sampling Location:</b> | Queensbury, New York     | <b>Sample Matrix:</b>    | Edible                   |
| <b>Contact Name:</b>      |                          | <b>Sample Sub Type:</b>  | Gummy                    |
| <b>Contact Email:</b>     |                          | <b>Package ID:</b>       | CR-G-LM-1                |
| <b>License Number:</b>    | OCM-PROC-24-000095       | <b>Batch Lot ID:</b>     | CR-G-LM-1                |
| <b>Medical/Adult Use:</b> | Adult Use                | <b>Batch Size:</b>       | 10000                    |
| <b>Sampling Date:</b>     | 03/11/2026 11:25:00 AM   | <b>Serving Size (g):</b> | 1.42                     |
| <b>METRC Test Tag ID:</b> | 1A41203000009CE000000555 | <b>METRC Source ID:</b>  | 1A41203000009CE000000561 |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>-</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: (20260311-CAPI-005)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w | mg/serving | MRL (% w/w) |
|-----------|-------|------------|-------------|
| CBDV      | < MRL | < MRL      | 0.003       |
| CBDA      | < MRL | < MRL      | 0.003       |
| CBGA      | < MRL | < MRL      | 0.003       |
| CBG       | < MRL | < MRL      | 0.003       |
| CBD       | < MRL | < MRL      | 0.003       |
| THCV      | < MRL | < MRL      | 0.003       |
| CBN       | < MRL | < MRL      | 0.003       |
| D9-THC    | 0.736 | 10.451     | 0.003       |
| D8-THC    | 0.006 | 0.085      | 0.003       |
| D10-THC-S | < MRL | < MRL      | 0.003       |
| D10-THC-R | < MRL | < MRL      | 0.003       |
| CBC       | < MRL | < MRL      | 0.003       |
| THCA      | < MRL | < MRL      | 0.003       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #213161 | Date Tested: 03/13/2026 08:56 AM

| Potency Summary                                                                            | % w/w | mg/serving |
|--------------------------------------------------------------------------------------------|-------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 0.742 | 10.536     |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | < MRL | < MRL      |
| <b>Total Cannabinoids</b>                                                                  | 0.742 | 10.536     |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Terpenes:                                                  |                | (20260311-CAPI-005)                                 | PASS |
|------------------------------------------------------------|----------------|-----------------------------------------------------|------|
| Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY) |                |                                                     |      |
| Analyte                                                    | Result (% w/w) | MRL (% w/w)                                         |      |
| alpha-Pinene                                               | < MRL          | 0.05                                                |      |
| Camphene                                                   | < MRL          | 0.05                                                |      |
| Sabinene                                                   | < MRL          | 0.05                                                |      |
| beta-Pinene                                                | < MRL          | 0.05                                                |      |
| beta-Myrcene                                               | < MRL          | 0.05                                                |      |
| Alpha-phellandrene                                         | < MRL          | 0.05                                                |      |
| Carene                                                     | < MRL          | 0.05                                                |      |
| alpha-terpinene                                            | < MRL          | 0.05                                                |      |
| p-Cymene                                                   | < MRL          | 0.05                                                |      |
| Limonene                                                   | < MRL          | 0.05                                                |      |
| Eucalyptol                                                 | < MRL          | 0.05                                                |      |
| Ocimene                                                    | < MRL          | 0.04                                                |      |
| gamma-Terpinene                                            | < MRL          | 0.05                                                |      |
| Sabinene Hydrate                                           | < MRL          | 0.05                                                |      |
| Terpinolene                                                | < MRL          | 0.05                                                |      |
| Linalool                                                   | < MRL          | 0.05                                                |      |
| Fenchol                                                    | < MRL          | 0.05                                                |      |
| Menthol                                                    | < MRL          | 0.05                                                |      |
| Terpineol                                                  | < MRL          | 0.05                                                |      |
| Citronellol                                                | < MRL          | 0.05                                                |      |
| Isopulegol                                                 | < MRL          | 0.05                                                |      |
| Geraniol                                                   | < MRL          | 0.05                                                |      |
| Alpha-cedrene                                              | < MRL          | 0.04                                                |      |
| Beta-Caryophyllene                                         | < MRL          | 0.05                                                |      |
| Farnesene                                                  | < MRL          | 0.05                                                |      |
| alpha-Humulene                                             | < MRL          | 0.05                                                |      |
| Valencene                                                  | < MRL          | 0.05                                                |      |
| cis-Nerolidol                                              | < MRL          | 0.02                                                |      |
| trans-Nerolidol                                            | < MRL          | 0.03                                                |      |
| Caryophyllene oxide                                        | < MRL          | 0.05                                                |      |
| Guaiol                                                     | < MRL          | 0.05                                                |      |
| alpha-Bisabolol                                            | < MRL          | 0.05                                                |      |
| MRL = Minimum reporting limit/limit of quantification      |                | Test ID: #213163   Date Tested: 03/13/2026 09:28 PM |      |

| Terpenes Summary       | Result | Limit | Pass/Fail |
|------------------------|--------|-------|-----------|
| Total Terpenes (% w/w) | < MRL  | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents:

(20260311-CAPI-005) **PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5.00         | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2.00         | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60.0         | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #213162 | Date Tested: 03/14/2026 01:06 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Pesticides:                                                                                              |           | (20260311-CAPI-005) |              | PASS       |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|--------------|------------|
| Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |                     |              |            |
| Analyte                                                                                                  | Pass/Fail | Result (µg/g)       | Limit (µg/g) | MRL (µg/g) |
| Abamectin                                                                                                | PASS      | < MRL               | 0.500        | 0.100      |
| Acephate                                                                                                 | PASS      | < MRL               | 0.400        | 0.100      |
| Acequinocyl                                                                                              | PASS      | < MRL               | 2.00         | 0.100      |
| Acetamiprid                                                                                              | PASS      | < MRL               | 0.200        | 0.100      |
| Aldicarb                                                                                                 | PASS      | < MRL               | 0.400        | 0.100      |
| Azadirachtin                                                                                             | PASS      | < MRL               | 1.00         | 0.250      |
| Azoxystrobin                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Bifenazate                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Bifenthrin                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Boscalid                                                                                                 | PASS      | < MRL               | 0.400        | 0.100      |
| Captan                                                                                                   | PASS      | < MRL               | 1.00         | 0.500      |
| Carbaryl                                                                                                 | PASS      | < MRL               | 0.200        | 0.100      |
| Carbofuran                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Chlorantranilprole                                                                                       | PASS      | < MRL               | 0.200        | 0.100      |
| Chlordane                                                                                                | PASS      | < MRL               | 1.00         | 0.100      |
| Chlorfenapyr                                                                                             | PASS      | < MRL               | 1.00         | 0.100      |
| Chlormequat chloride                                                                                     | PASS      | < MRL               | 1.00         | 0.100      |
| Chlorpyrifos                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Clofentezine                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Coumaphos                                                                                                | PASS      | < MRL               | 1.00         | 0.100      |
| Cyfluthrin                                                                                               | PASS      | < MRL               | 1.00         | 0.100      |
| Cypermethrin                                                                                             | PASS      | < MRL               | 1.00         | 0.100      |
| Daminozide                                                                                               | PASS      | < MRL               | 1.00         | 0.100      |
| Diazinon                                                                                                 | PASS      | < MRL               | 0.200        | 0.100      |
| Dichlorvos                                                                                               | PASS      | < MRL               | 1.00         | 0.100      |
| Dimethoate                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Dimethomorph                                                                                             | PASS      | < MRL               | 1.00         | 0.100      |
| Ethoprophos                                                                                              | PASS      | < MRL               | 0.200        | 0.100      |
| Etofenprox                                                                                               | PASS      | < MRL               | 0.400        | 0.100      |
| Ettoxazole                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Fenhexamid                                                                                               | PASS      | < MRL               | 1.00         | 0.100      |
| Fenoxycarb                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Fenpyroximate                                                                                            | PASS      | < MRL               | 0.400        | 0.100      |
| Fipronil                                                                                                 | PASS      | < MRL               | 0.400        | 0.100      |
| Flonicamid                                                                                               | PASS      | < MRL               | 1.00         | 0.100      |
| Fludioxonil                                                                                              | PASS      | < MRL               | 0.400        | 0.100      |
| Hexythiazox                                                                                              | PASS      | < MRL               | 1.00         | 0.100      |
| Imazalil                                                                                                 | PASS      | < MRL               | 0.200        | 0.100      |
| Imidacloprid                                                                                             | PASS      | < MRL               | 0.400        | 0.100      |
| Indole-3-butyric acid                                                                                    | PASS      | < MRL               | 1.00         | 0.250      |
| Kresoxim-methyl                                                                                          | PASS      | < MRL               | 0.400        | 0.100      |
| Malathion                                                                                                | PASS      | < MRL               | 0.200        | 0.100      |
| Metalaxyl                                                                                                | PASS      | < MRL               | 0.200        | 0.100      |
| Methiocarb                                                                                               | PASS      | < MRL               | 0.200        | 0.100      |
| Methomyl                                                                                                 | PASS      | < MRL               | 0.400        | 0.100      |
| Methyl Parathion                                                                                         | PASS      | < MRL               | 0.200        | 0.100      |
| Mevinphos                                                                                                | PASS      | < MRL               | 1.00         | 0.100      |
| MGK-264 I/II                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Myclobutanil                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Naled                                                                                                    | PASS      | < MRL               | 0.500        | 0.100      |
| Oxamyl                                                                                                   | PASS      | < MRL               | 1.00         | 0.100      |
| Paclobutrazol                                                                                            | PASS      | < MRL               | 0.400        | 0.100      |
| Pentachloronitrobenzene                                                                                  | PASS      | < MRL               | 1.00         | 0.100      |
| Permethrins, total                                                                                       | PASS      | < MRL               | 0.200        | 0.100      |
| Phosmet                                                                                                  | PASS      | < MRL               | 0.200        | 0.100      |
| Piperonyl butoxide                                                                                       | PASS      | < MRL               | 2.00         | 0.100      |
| Prallethrin                                                                                              | PASS      | < MRL               | 0.200        | 0.100      |
| Propiconazole                                                                                            | PASS      | < MRL               | 0.400        | 0.100      |
| Propoxur                                                                                                 | PASS      | < MRL               | 0.200        | 0.100      |
| Pyrethrins                                                                                               | PASS      | < MRL               | 1.00         | 0.100      |
| Pyridaben                                                                                                | PASS      | < MRL               | 0.200        | 0.100      |
| Spinetoram, Total                                                                                        | PASS      | < MRL               | 1.00         | 0.100      |
| Spinosad, Total                                                                                          | PASS      | < MRL               | 0.200        | 0.100      |
| Spiromesifen                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Spirotetramat                                                                                            | PASS      | < MRL               | 0.200        | 0.100      |
| Spiroxamine                                                                                              | PASS      | < MRL               | 0.200        | 0.100      |
| Tebuconazole                                                                                             | PASS      | < MRL               | 0.400        | 0.100      |
| Thiacloprid                                                                                              | PASS      | < MRL               | 0.200        | 0.100      |
| Thiamethoxam                                                                                             | PASS      | < MRL               | 0.200        | 0.100      |
| Trifloxystrobin                                                                                          | PASS      | < MRL               | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #213159 | Date Tested: 03/17/2026 06:17 PM

MRL = Minimum reporting limit/limit of quantification

Test ID: #213159 | Date Tested: 03/17/2026 06:17 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins:                                                                                     |           | (20260311-CAPI-005) |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |                     |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g)       | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL               | 0.020                                               | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL               | 0.020                                               | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |                     | Test ID: #213160   Date Tested: 03/17/2026 10:33 PM |            |

| Heavy Metals:                                                                                         |           | (20260311-CAPI-005) |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |                     |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g)       | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL               | 1100                                                | 8.00       |
| Nickel                                                                                                | PASS      | < MRL               | 20.0                                                | 1.00       |
| Copper                                                                                                | PASS      | < MRL               | 300                                                 | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL               | 1.50                                                | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL               | 0.500                                               | 0.10       |
| Antimony                                                                                              | PASS      | < MRL               | 120                                                 | 1.00       |
| Mercury                                                                                               | PASS      | < MRL               | 3.00                                                | 0.05       |
| Lead                                                                                                  | PASS      | < MRL               | 0.500                                               | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |                     | Test ID: #213158   Date Tested: 03/13/2026 08:00 AM |            |

| Microbiology - Plating: (20260311-CAPI-005)                                      |           | PASS            |                                                                                                                                                |             |
|----------------------------------------------------------------------------------|-----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                  |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Total Aerobic Bacteria                                                           | PASS      | < MRL           | 10000                                                                                                                                          | 10          |
| Total Yeast & Mold                                                               | PASS      | 30              | 1000                                                                                                                                           | 10          |
| Microbiology - qPCR:                                                             |           |                 |                                                                                                                                                |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Salmonella spp                                                                   | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| Shiga toxin-producing E. coli                                                    | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)                                  | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| MRL = Minimum reporting limit/limit of quantification                            |           |                 | Test IDs: #213165, #213164, #213167, #213166   Date Tested: 03/16/2026 08:50 AM, 03/16/2026 10:23 AM, 03/13/2026 08:34 PM, 03/13/2026 08:27 PM |             |

| Water Activity:                                                                  |           | (20260311-CAPI-005)                                 | PASS                    |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------|-------------------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                                                     |                         |
| Analyte                                                                          | Pass/Fail | Result (a <sub>w</sub> )                            | Limit (a <sub>w</sub> ) |
| Water Activity                                                                   | PASS      | 0.56                                                | 0.85                    |
| MRL = Minimum reporting limit/limit of quantification                            |           | Test ID: #213157   Date Tested: 03/13/2026 10:09 AM |                         |





# Certificate of Analysis

## Full Compliance Test

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
[www.greenanalyticsllc.com](http://www.greenanalyticsllc.com)  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

---

Matthew Elmes  
Lab Director  
3/18/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.